Notice of Allowability	Application No.	Applicant(s)
	10/601,550	LEE ET AL.
	Examiner	Art Unit
	Steven H. VerSteeg	1753
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>response filed May 3, 2005</u> .		
2. The allowed claim(s) is/are <u>1-6</u> .		
3. The drawings filed on 24 June 2003 are accepted by the Examiner.		
4.		
<ul> <li>Attachment(s)</li> <li>1. ☐ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 5/3/05</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's	te



Application/Control Number: 10/601,550 Page 2

Art Unit: 1753

### **DETAILED ACTION**

## Allowable Subject Matter

1. Claims 1-6 are allowed.

# Information Disclosure Statement

- 2. There are 2 references cited on the IDS filed May 3, 2005 that need discussion. US 5,635,797 to Kitakaze et al. (Kitakaze) discloses an anode for a magnetron. The anode is exemplified to have an internal diameter of 32mm-35mm with the spacing between the strap rings being unknown.
- 3. JP 56-149750 (JP '750) discloses a magnetron anode with a spacing of 1.1 mm between inner and outer straps, but the number of vanes and whether there is an alternating electrical connection of the vanes is unknown.
- 4. There is no motivation to use the strap spacing taught in JP '750 in Kitakaze. Further, Applicant has stressed in the specification that there are unexpected results that occur when the inside diameter of the anode body is below 32.5mm [0062] and above 34.5mm [0047]. Thus, the anode internal diameter claimed by Applicant is not necessarily obvious in Kitakaze because of the unexpected results.

## General Information

For general status inquiries on applications not having received a first action on the merits, please contact the Technology Center 1700 receptionist at (571) 272-1700.

For inquiries involving Recovery of lost papers & cases, sending out missing papers, resetting shortened statutory periods, or for restarting the shortened statutory period for response, please contact Denis Boyd at (571) 272-0992.

Art Unit: 1753

For general inquiries such as fees, hours of operation, and employee location, please contact the Technology Center 1700 receptionist at (571) 272-1300.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven H. VerSteeg whose telephone number is (571) 272-1348. The examiner can normally be reached on Mon - Thurs (6:30 AM - 5:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam X. Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Steven H VerSteeg Primary Examiner Art Unit 1753

shv

May 16, 2005